



Figure 1. Location of Ralston Ranch fence repair project.




Fence Removal

## 



Doulble Panel



Mentenge Trish.

FOUR WIRE FENCE


White En affiliation

ONE OF TWO

F4WIRE F4WIRE

DRAWN BY: P. Valle DATE: 9/12

## JACKLEG FOUR WIRE FENCE DETAIL (NO SCALE)




DRAWN BY:

DATE:

FILE NAME:

## JACKLEG 4 WIRE FENCE BRACE (NO SCALE) WITH RUB RAIL DETAIL



Wildliffe (3) Fairly Missiff is missilloging

<u>- 20' - </u>

TITLE:

JACK LEG BRACE WITH RUB RAIL

SHEET:

FILE NAME:

DRAWN BY: P Valle

DATE: 9-26-2012

## JACKLEG RAIL WITH RUB RAIL DETAIL (NO SCALE)

RUB RAIL -3' HIGH TYPICAL JACKLEG RAIL PANEL TYPICAL JACK LEG POSTS, MIN. 5" DIA. TOP, MINIMUM 66" LONG, MACHINE NOTCHED. FASTEN JACK LEGS TOGETHER WITH 7"x5/16" RING BARB NAILS OR TIMBERLOK SCREWS TYPICAL RAILS, MIN. DIA. 3",
MAX. DIA. 5", 21' LENGTH
TYPICAL HOBBLE RAILS,
MIN. DIA. 3", ON ALL JACKLEGS Ment mannone

JACKLEG RAIL FENCE WITH RUB RAIL

While Car Fairly

SHEET:

FILE NAME:

DRAWN BY: P Valle

DATE: 9-26-2012